

**MATERIAL SAFETY DATA SHEET**  
**BISSELL INCORPORATED**  
**PRINT DATE: June 9, 2008**

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: **BISSELL Auto Pod Formula**  
 Product No. **383E**  
 Chemical Formula: **Mixture**

**MANUFACTURER:** **24-Hour Emergency Phone Number:**

BISSELL INC. **1-866-303-6951**  
 P.O. Box 1888  
 Grand Rapids, MI 49501  
 (616) 453-4451

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Ingredient</u>	<u>Percent</u>	<u>OSHA TWA ACGIH TWA</u>	<u>CAS Number</u>
Hydrogen Peroxide	≤ 2.1 %	1 ppm - 1ppm	7722-84-1
Glycol Ether PnB	≤ 2.0%	None Established	5131-66-8

Also contain Surfactants, chelants, acrylic copolymer, fragrance and water.

**3. HAZARDS IDENTIFICATION**

**Emergency Overview:**

**KEEP OUT OF REACH OF CHILDREN**

**Potential Health Effects:**

**Eye:** Contact with eyes may cause irritation.

**Skin:** Prolonged contact with skin may cause mild to moderate irritation.

**Inhalation:** Inhalation is not expected route of exposure. Inhalation of product mist or spray may cause respiratory irritation.

**Ingestion:** Ingestion is not an expected route of exposure. Ingestion of small amount may cause gastrointestinal irritation, and more serious effects are possible if large quantities of product are swallowed.

**MATERIAL SAFETY DATA SHEET**  
**BISSELL INCORPORATED**  
**PRINT DATE: June 9, 2008**

***BISSELL Auto Pod Formula***

---

---

**4. FIRST AID MEASURES**

---

---

EYE:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention, if irritation develops or persists.
SKIN:	Wash skin with water. Remove contaminated clothing.
INGESTION:	If swallowed, call a physician or poison control center immediately. Do not induce vomiting or give anything to drink unless instructed to do so by a physician. Never give anything by mouth to an unconscious person.
INHALATION:	Remove affected person to fresh air. Get medical attention if person has difficulty breathing or irritation develops or persists.

---

---

**5. FIRE FIGHTING MEASURES**

---

---

FLASH POINT:	None at/or below 200 ° F.
FLAMMABILITY:	NONE.
EXTINGUISHING MEDIA:	Use water, dry chemical or foam.
FIRE and EXPLOSION HAZARDS	NONE.
FIRE FIGHTING EQUIPMENT:	Fire fighters should wear self-contained breathing apparatus and protective clothing.

---

---

**6. ACCIDENTAL RELEASE MEASURES**

---

---

SMALL SPILLS:	Absorb and wipe up or rinse away with water.
LARGE SPILL:	Contain spilled liquid with sand or earth. Collect for later disposal.
WASTE DISPOSAL:	Follow all Local, State and Federal Regulations for large spills.

---

---

**7. HANDLING AND STORAGE**

---

---

HANDLING:	Use only as directed. Avoid contact with eyes.
STORAGE:	Store out of reach of children. Store in a cool place. Keep container tightly closed when not in use.

**MATERIAL SAFETY DATA SHEET**  
**BISSELL INCORPORATED**  
**PRINT DATE: June 9, 2008**

**BISSELL** *Auto Pod Formula*

---

**8. PERSONAL PROTECTION**

---

RESPIRATORY PROTECTION:	Not required under normal conditions.
PROTECTIVE GLOVES:	Use gloves for prolonged operated contact.
EYE PROTECTION:	Not required under normal condition.
VENTILATION:	Normal

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

APPEARANCE:	Slightly hazy liquid
ODOR:	Pleasant Soapy Scent
BOILING POINT, 760mm Hg:	212 ° F
VAPOR PRESSURE:	Not Determined
VAPOR DENSITY:	Not Applicable
SOLUBILITY IN WATER:	Complete
SPECIFIC GRAVITY:	1.00 ± 0.2
pH:	7.1 to 7.7

---

**10. STABILITY AND REACTIVITY**

---

CHEMICAL STABILITY:	Stable
CONDITIONS TO AVOID:	None Known.
INCOMPATIBILITY:	Hydrogen Peroxide is an oxidizing agent, avoid acids, bases, metals, salts of metals, reducing agents, organic materials, and flammable substances
HAZARDOUS DECOMPOSITION:	NONE.
HAZARDOUS POLYMERIZATION:	Will not occur.

---

**11. TOXICOLOGICAL INFORMATION**

---

**Tested and labeled to CPSC/FHSA requirements. Contains no listed carcinogens.**

INGESTION:	The oral LD50 is greater than 5000 mg/kg in rats.
INHALATION:	The inhalation LC50 is greater than 20 mg/L for one hour exposure for laboratory animals.
SKIN:	The primary dermal irritation score was 0.37.

**MATERIAL SAFETY DATA SHEET**  
**BISELL INCORPORATED**  
**PRINT DATE: June 9, 2008**

**BISELL** *Auto Pod Formula*

---

**12. ECOLOGICAL INFORMATION**

---

AQUATIC TOXICITY:	No information available.
ENVIRONMENTAL EFFECTS:	Product is expected to rapidly disperse in the aquatic environment.

---

**13. DISPOSAL CONSIDERATION**

---

DISPOSAL OF PRODUCT:	Disposal methods must be in compliance with all Federal, State or Provincial, and local laws and regulations.
DISPOSAL OF PACKAGING:	Disposal methods must be in compliance with all Federal, State or Provincial, and local laws and regulations

---

**14. TRANSPORT INFORMATION**

---

HAZARD RATING:      Fire: 0              Toxicity: 1              Reactivity: 1

HAZARD RATING SCALE:

0=Insignificant   1=Slight              2=Moderate              3=High              4=Extreme

**Transportation:**

DOT Labeling:	NONE.
DOT Proper Shipping Name:	Not Regulated
DOT Hazard Class:	NONE

U.S. Surface Freight Classification: Cleaning Compound , Liquid No1

---

**15. REGULATORY INFORMATION:**

---

**EEC LABELLING INFORMATION:**

*No Information is applicable.*

**MATERIAL SAFETY DATA SHEET****BISSELL Homecare Inc.****PRINT DATE: June 9, 2008****BISSELL** *Auto Pod Formula*

---

**16. OTHER INFORMATION**

---

***Notice:***

***The information herein is presented in good faith and believed to be accurate as of the effective date shown below. However, no warranty, expressed or implied, is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure that its activities comply with federal, state or Provincial laws.***

Effective Date: June 9, 2008  
Supersedes: January 23, 2008  
Prepared by: Jesse J. Williams

This MSDS has been revised in the following section(s):

**(GENERAL UPDATE)**

JJW/sth